



NOTES:

- SEE DWG W-39 FOR PLACEMENT OF TEST BOX ON PAVED STREETS AND W-40 FOR PLACEMENT IN UNPAVED AREAS.
- 2. CONCRETE BODY, RATED FOR OCCASIONAL VEHICLE TRAFFIC.
- 3. ALL WIRES SHALL HAVE 24" MIN. SLACK IN BOX.
- BOTTOM OF TEST BOX SHALL BE NATIVE SOIL. DO NOT PLACE ROCK, GRAVEL OR SAND IN TEST BOX.
- 5. FIRMLY STAMP BRASS TAGS (1 1/2" DIA WITH 1/16" DIA. HOLE) "VCMWD, SIZE AND SERVICE" (EXAMPLE: VCMWD, 24" W). USE 1/4" HIGH CHARACTERS. SECURELY ATTACH BRASS TAGS TO TEST LEADS WITH BARE NO. 14 COPPER WIRE.
- 6. PROVIDE 26" x 26" x 4" THICK CONCRETE PAD AROUND TEST BOXES AT UNPAVED SITES. CONCRETE SHALL BE 560-C-3250.

APPROVED:

Walley CENTER MUNICIPAL WATER DISTRICT
STANDARD DRAWING

District Engineer Date

AT GRADE TEST BOX

W-42